



SAFETY DATA SHEET

AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200 and WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR).

1. Identification		
Product identifier		
Product name	AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80	
Product number	DBTF	
Recommended use of the che	emical and restrictions on use	
Application	Transmission fluid.	
Uses advised against	Avoid the formation of mists.	
Details of the supplier of the s	afety data sheet	
Supplier	AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 T: +1 416-367-6547	
Manufacturer	AMSOIL INC. One AMSOIL Center, Superior, WI 54880, USA. T: +1 715-392-7101 compliance@amsoil.com	
Emergency telephone numbe	<u>r</u>	
Emergency telephone	CHEMTREC: Within USA and Canada: 1-800-424-9300 Outside the USA and Canada: +1 703-741-5970 (collect calls accepted) 24/7	
2. Hazard(s) identification		
Classification of the substance	e or mixture	
OSHA/WHMIS Regulatory Status	This Product is not Hazardous under the OSHA Hazard Communication Standard and according to the hazard criteria of the Hazardous Product Regulations.	
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
Label elements		
Hazard statements	NC Not Classified	
Other hazards		
This product does not contain any substances classified as PBT or vPvB.		
3. Composition/information on ingredients		

Mixtures

drogenated base oil 2.5 - <5% S number: 64742-54-7 sistification p. Tox. 1 - H304 full text for all hazard statements is displayed in Section 16. nposition comments The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200. irst-aid measures cription of first aid measures cription of first aid measures Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. atation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. estion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. n Contact Remove affected person from source of contamination. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
sissification p. Tox. 1 - H304 full text for all hazard statements is displayed in Section 16. nposition comments The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200. irst-aid measures cription of first aid measures ceral information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. station Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. station Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. or Contact Remove affected person from source of contamination. Rinse immediately with plenty of water. contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
p. Tox. 1 - H304 full text for all hazard statements is displayed in Section 16. inposition comments The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200. irst-aid measures cription of first aid measures terral information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. allation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. with or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. a Contact Remove affected person from source of contamination. Rinse immediately with plenty of water. contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
Imposition commentsThe exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200.inst-aid measurescription of first aid measuresmeral informationGet medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.NationMove affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.estionRinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.or ContactRemove affected person from source of contamination. Rinse immediately with plenty of water.contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
irst-aid measures cription of first aid measures neral information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. nlation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. estion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. n Contact Remove affected person from source of contamination. Rinse immediately with plenty of water. contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
cription of first aid measures meral information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel. alation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. estion Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. encoded Remove affected person from source of contamination. Rinse immediately with plenty of water. contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
neral informationGet medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.alationMove affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.estionRinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.n ContactRemove affected person from source of contamination. Rinse immediately with plenty of water.contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
personnel.alationMove affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.astionRinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.n ContactRemove affected person from source of contamination. Rinse immediately with plenty of water.contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.estionRinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.n ContactRemove affected person from source of contamination. Rinse immediately with plenty of water.contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Contact Remove affected person from source of contamination. Rinse immediately with plenty of water.contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
contactRinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.	
apart. Continue to rinse for at least 10 minutes.	
Exection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.	
t important symptoms and effects, both acute and delayed	
The series of the section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
lation Prolonged inhalation of high concentrations may damage respiratory system.	
estion Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.	
rontact Prolonged contact may cause dryness of the skin.	
contact May cause temporary eye irritation.	
Indication of immediate medical attention and special treatment needed	
es for the doctor Treat symptomatically.	
cific treatments No special treatment required.	
5. Fire-fighting measures	
nguishing media	
able extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
uitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. lia	
cial hazards arising from the substance or mixture	

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Contains Hydrocarbons. The product is immiscible with water and will spread on the water surface.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves, that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable.
6. Accidental release measures	3
Personal precautions, protectiv	e equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Use protective equipment appropriate for surrounding materials.
Environmental precautions	
Environmental precautions	Avoid discharge to the aquatic environment.
Methods and material for conta	inment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid contact with used product. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, inc	luding any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Keep container tightly closed, in a cool, well ventilated place. Protect containers from damage.

SAVE UP TO 25%

AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

Storage class	Chemical storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure Controls/personal	protection
Control parameters Occupational exposure limits	
Comments	The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.
Under conditions which may ge Long-term exposure limit (8-ho Short-term exposure limit (15-n	
Exposure controls	
Appropriate engineering controls	Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.6), and any relevant provincial regulation relating to health and safety at work. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.9), and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Not regarded as dangerous for the environment.
9. Physical and Chemical Properties	

Information on basic physical and chemical properties

Appearance	Liquid.
Color	Amber.

Color



OdorMid hydrocarbon.Odor thresholdNot available.pHNot available.Melting pointNot available.Initial boling point and ragNot available.Flash pointNot available.Evaporation rateNot available.Upperflower finamability or poperflower finamability or solubility.Not available.Vapor pressureNot available.Vapor pressureNot available.Partition coefficientNot available.Vapor pressureNot available.Partition coefficientNot available.Partition coefficientNot available.Partition coefficientNot available.Vacor gringNot available.Vapor pressureNot available.Partition coefficientNot available.Partition coefficientNot available.Vacor gringNot available.Not consi		
pHNotavailable.Metling pointNotavailable.Initial boiling point and rangNotavailable.Flash point248°C Cleveland open cup. [ASTM D 92]Evaporation rateNotavailable.Upperflower flammability of explosive limitsNotavailable.Vapor desityNotavailable.Relative density0.8886Solubility(efs)Not available.Partition coefficientNotavailable.Notavailable.Notavailable.Solubility offNotavailable.Partition coefficientNotavailable.Notavailable.Notavailable.Solubility offNotavailable.Partition coefficientNotavailable.Notavailable.Notavailable.Notavailable.Notavailable.Partition coefficientNotavailable.Notavailable.Notavailable.Vaco-genition TemperatureNotavailable.Notavailable.Notavailable.Vaco-genition TemperatureNotavailable.Vaco-genition TemperatureNotavailable.Notavailable.Notavailable.Vaco-genition TemperatureNotavailable.Oxidizing propertiesNotavailable.Notavailable.Notavailable.Partition coefficientSection of classification as oxidizing.PropertiesNotavailable.Notavailable.Notavailable.Partition propertiesSection of this section for further details.Stability of hazardousSubel at normal ambient temperatures and when used as recommended. Stable under t	Odor	Mild hydrocarbon.
Welling point Not available. Initial boiling point and range Not available. Flash point 248°C Cleveland open cup. [ASTM D 92] Evaporation rate Not available. Upper/lower flammability or explosive limits Not available. Vapor pressure Not available. Vapor density Not available. Vapor density Not available. Partition coefficient Not available. Auto-Ignition temperature Not available. Not available. Not available. Vapor density 0.8586 Solubility(les) Not available. Auto-Ignition coefficient Not available. Vacorspondent Not available. Vacorspontion Not availab	Odor threshold	Not available.
Initial bolling point and rangeNot available.Fiesh point248°C Cleveland open cup. [ASTM D 92]Evaporation rateNot available.Upper/lower fiarmability or explosive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(les)Not available.Partition coefficientNot available.Auto-ignition temperatureNot available.Not available.Not available.Auto-ignition temperatureNot available.Not available.Not available.Auto-ignition temperatureNot available.Not available.Not available.Auto-ignition temperatureNot available.Not available.Not available.Viscosity66.5 CSt @ 40°C 10.3 CSt @ 40°C 10.3 CSt @ 40°C 	рН	Not available.
Flash point 248°C Cleveland open cup. [ASTM D 92] Evaporation rate Not available. Upper/lower flammability or explosive limits Not available. Vapor pressure Not available. Vapor density Not available. Relative density 0.8586 Solubility(les) Not available. Partition coefficient Not available. Auto-ignition temperature Not available. Viscosity 66.5 cSt @ 40°C [ASTM D 445] Explosive properties Not considered to be explosive. Oxidizing properties Not considered to be explosive. Stability and reactivity	Melting point	Not available.
Evaporation rateNot available.Upper/lower fammability or explosive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(ies)Not available.Partition coefficientNot available.Auto-ignition temperatureNot available.Occomposition TemperatureNot available.Viscosity $61.5 < St @ 40°C$ (ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing ropertiesSee not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]IteractivitySee the other subsections of this section for further details.Stability of hazardousNo potentially hazardous reactions known.Possibility of hazardousNo potentially hazardous reactions known.Possibility of hazardousNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Initial boiling point and range	Not available.
Upper/ower flammability or explosive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(fes)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Pocomposition TemperatureNot available.Viscosity66.5 cSt @ 40°C 10.3 cSt @ 100°C (ASTM D 445)Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo poetnitally hazardous reactions known.Possibility of hazardous reactionsNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Flash point	248°C Cleveland open cup. [ASTM D 92]
explosive limitsVapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(les)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Pocomposition TemperatureNot available.Viscosity66.5 cSt @ 40°C 10.3 cSt @ 100°C (ASTM D 445)Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. (ASTM D 92)Pour point-44°C (ASTM D 97)10. Stability and reactivityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardousNo potentially hazardous reactions known.exactionsNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used an scoremended. Thermal decomposition or	Evaporation rate	Not available.
Vapor densityNot available.Relative density0.8586Solubility(les)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity66.5 cst @ 40°C (ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactions for source conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or		Not available.
Relative density0.8586Solubility(les)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Uiscosity66.5 cst @ 40°C 10.3 cst @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]Ito Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.ReactivitiesNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition of hazardous situation.	Vapor pressure	Not available.
Solubility(ies)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Uiscosity $66.5 \text{ CSt} @ 40^\circ \text{C} \\ 10.3 \text{ CSt} @ 100^\circ \text{C} \\ [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesSolution temperaturePour point266°C Cleveland open cup. [ASTM D 92]Pour point266°C Cleveland open cup. [ASTM D 92]Pour pointSee the other subsections of this section for further details.Stability and reactivityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardousreactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or$	Vapor density	Not available.
Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Uiscosity66.5 c St @ 40°C 10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous reactionsNo potentially hazardous reactions known.Possibility of hazardous reactionsNo potentially hazardous reactions known.Materials to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used an stored as recommended. Thermal decomposition or	Relative density	0.8586
Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity 66.5 cSt @ 40°C 10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous reactionsNo potentially hazardous reactions known.Possibility of hazardous reactionsNo potentially hazardous reactions known.ReactivityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Auto-instructionsNo specific material or group of materials is likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Solubility(ies)	Not known.
Decomposition TemperatureNot available.Viscosity66.5 cSt @ 40°C 10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or	Partition coefficient	Not available.
Viscosity66.5 cSt @ 40°C 10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Auto-ignition temperature	Not available.
10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Decomposition Temperature	Not available.
Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Viscosity	10.3 cSt @ 100°C
Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.ReactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Explosive properties	Not considered to be explosive.
Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.ReactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.reactionsThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Oxidizing properties	Does not meet the criteria for classification as oxidizing.
10. Stability and reactivity See the other subsections of this section for further details. Reactivity See the other subsections of this section for further details. Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. Possibility of hazardous reactions No potentially hazardous reactions known. Conditions to avoid There are no known conditions that are likely to result in a hazardous situation. Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation. Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or	Fire point	266°C Cleveland open cup. [ASTM D 92]
ReactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Pour point	-44°C [ASTM D 97]
StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	10. Stability and reactivity	
prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Reactivity	See the other subsections of this section for further details.
reactionsConditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Stability	
Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation. Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or	-	No potentially hazardous reactions known.
Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
	Materials to avoid	
	-	
	Information on toxicological ef	fects

BUY ONLINE

FREE CATALOG



Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin Contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause temporary eye irritation.
Route of exposure	Ingestion Inhalation Skin and/or eye contact

BUY ONLINE

FREE CATALOG

SAVE UP TO 25%

AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

Target Organs No specific target organs known.

Medical considerations

Skin disorders and allergies.

Toxicological information on ingredients.

Hydrogenated base oil

Acute toxicity - oral	
Notes (oral LD50)	LD₅₀ >5000 mg/kg, Oral, Rat REACH dossier information.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ >5000 mg/kg, Dermal, Rabbit REACH dossier information.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	LC₅₀ >5.53 mg/l, Inhalation, Rat REACH dossier information.
Skin corrosion/irritation	
Animal data	Dose: 0.5ml, 24 hours, Rabbit Erythema/eschar score: No erythema (0). Edema score: No oedema (0). REACH dossier information.
Serious eye damage/irritati	on
Serious eye damage/irritation	Dose: 0.1ml, 72 hours, Rabbit REACH dossier information.
Skin sensitization	
Skin sensitization	Buehler test - Guinea pig: Not sensitizing. REACH dossier information.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information.
Reproductive toxicity	
Reproductive toxicity - fertility	Screening - NOAEL > 1000 mg/kg/day, Oral, Rat P REACH dossier information.
Reproductive toxicity - development	Developmental toxicity: - LOAEL: 125 mg/kg/day, Dermal, Rat REACH dossier information.

12. Ecological Information

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Toxicity

Based on available data the classification criteria are not met.

Ecological information on ingredients.

Hydrogenated base oil

Acute aquatic toxicity	
Acute toxicity - fish	LL₅₀, 96 hours: > 100 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EL₅₀, 48 hours: > 10000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	NOEL, 72 hours: > 100 mg/l, Pseudokirchneriella subcapitata

SAVE UP TO 25%

AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Hydrogenated base oil

Biodegradation	Water - Degradation 31: 28 days Inherently biodegradable.
Bioaccumulative potential	
Bio-Accumulative Potential	No data available on bioaccumulation.
Partition coefficient	Not available.
Mobility in soil	
Mobility	No data available.
Other adverse effects	
Other adverse effects	None known.
13. Disposal considerations	
Waste treatment methods	
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.
14. Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT, TDG).
UN Number	
Not applicable.	
UN proper shipping name	
Not applicable.	
Transport hazard class(es)	
Transport labels No transport warning sign req	uired.
Packing group	
Not applicable.	
Environmental hazards	
Environmentally Hazardous S No.	ubstance



Special precautions for user		
Not applicable.		
DOT TIH Zone	Not applicable.	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
15. Regulatory information		
Regulatory References	OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulation (SOR/2015-17) Transportation of Dangerous Goods Regulations -SOR/2015-100.	
US Federal Regulations SARA Section 302 Extremely None of the ingredients are lis	Hazardous Substances Tier II Threshold Planning Quantities ted or exempt.	
CERCLA/Superfund, Hazardo None of the ingredients are lis	us Substances/Reportable Quantities (EPA) ted or exempt.	
SARA Extremely Hazardous S None of the ingredients are lis	Substances EPCRA Reportable Quantities ted or exempt.	
SARA 313 Emission Reporting The following ingredients are	-	
<i>Zinc O,O,O',O'-tetrakis(1,3-dir</i> 1.0 %	nethylbutyl) bis(phosphorodithioate)	
<i>Zinc alkyldithiophosphate</i> 1.0 %		
Phosphorodithioic acid, O,O-c 1.0 %	li-C1-14-alkyl esters, zinc salts	
CAA Accidental Release Prev None of the ingredients are lis		
SARA (311/312) Hazard Cate None of the ingredients are lis	-	
OSHA Highly Hazardous Che None of the ingredients are lis		
US State Regulations California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.		
California Air Toxics "Hot Spo None of the ingredients are lis		
California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.		
California Directors List of Hazardous Substances None of the ingredients are listed or exempt.		



AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

Massachusetts "Right To Know" List

None of the ingredients are listed or exempt.

Rhode Island "Right To Know" List None of the ingredients are listed or exempt.

Minnesota "Right To Know" List

None of the ingredients are listed or exempt.

New Jersey "Right To Know" List None of the ingredients are listed or exempt.

Pennsylvania "Right To Know" List

None of the ingredients are listed or exempt.

Inventories

Canada - DSL/NDSL All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information

Abbreviations and acronyms used in the safety data sheet	C.A.S. = Chemical Abstracts Service; E.C. No = European Commission number; GHS = Globally Harmonised System; OSHA = Occupational Safety and Health Administration; WHMIS = Workplace Hazardous Materials Information System; DOT = Department of Transport; TDG = Transport of Dangerous Goods Regulations; IMDG = International Maritime Dangerous Goods; IATA = International Air Transport Association; SARA = Superfund Amendments and Reauthorization Act; CERCLA = Comprehensive Environmental; EPCRA = Emergency Planning and Community Right-to-Know Act; TSCA = Toxic Substances Control Act; LD/LC/EC = Lethal Dose,Lethal Concentration/Effect Concentration for 50% of population; NOEC = No Overall Effect Concentration; NOEL = No Overall Effect Level; REACH = Registration, Evaluation, Authorisation & Restriction of Chemicals; STOT-RE = Single Target Organ Toxicity - Repeat Exposure; STOT-SE= Specific Target Organ Toxicity - Single Exposure; PBT = Persistent, Bioaccumulative, Toxic; vPvB = Very Persistent, Very Bioaccumulative.
Key literature references and sources for data	Source: European Chemicals Agency, http://echa.europa.eu/
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	This is the first issue.
Revision date	2/2/2018
SDS No.	6943
Hazard statements in full	H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.