BUY ONLINE

FREE CATALOG

SDIB



Compliant SDS for GHS: HazCom 2012 / United States; WHMIS 2015 / Canada

SAFETY DATA SHEET

Engine and Transmission Flush

| Section 1. Identification Date Version | | | : | 05/15/2015 6 |
|--|--|-----------|---|-----------------|
| GHS product identifier | : Engine and Transmission Flush | | | |
| Code | : FLSH | | | |
| Product type | : Liquid. | | | |
| Identified uses | : Cleaner. | | | |
| Manufacturer | : AMSOIL INC. One AMSOIL Center Superior, WI 54880 Tel: +1 715-392-7101 | | | |
| Initial Supplier (Canada) | : AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 Tel: +1 416-367-6547 | | | |
| Emergency telephone number (with hours of operation) | : CHEMTREC: Within USA and Canada: 1-800-424-9300; Outside USA and Canada: +1 703-741-5970 (collect calls a (24/7) | accepted) | | |

Section 2. Hazards identification

| OSHA/HCS status Classification of the substance or mixture | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). ASPIRATION HAZARD - Category 1 |
|--|---|
| GHS label elements Hazard pictograms | |
| Signal word Hazard statements | Danger H304 - May be fatal if swallowed and enters airways. |
| Precautionary statements | |
| Prevention | : Not applicable. |
| Response | P301 + P310 + P331 - IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. |
| Storage | : P405 - Store locked up. |
| | |

SAVE UP TO 25%

| FLSH |
|------|
|------|

Disposal

: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified (HNOC)

| Physical hazards not otherwise classified (PHNOC) | : None known. |
|---|---------------|
| Health hazards not otherwise classified (HHNOC) | : None known. |

Section 3. Composition/information on ingredients

| Substance/mixture | : Su | bstance |
|----------------------------------|------|--------------|
| Other means of identification | : No | t available. |

CAS number/other identifiers

| In gradient neme | | |
|------------------|------------------|--|
| Product code | : FLSH | |
| CAS number | : Not available. | |

| Ingredient name | % | CAS number |
|-----------------|----------|------------|
| Mineral oil | 60 - 100 | - |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs. |
|--------------|--|
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Get medical attention if symptoms occur. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |

SAVE UP TO 25%

| Ingestion | : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. |
|---------------------------------|---|
| Most important symptoms/e | ffects, acute and delayed |
| Potential acute health effect | <u>ots</u> |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : May be fatal if swallowed and enters airways. |
| <u>Over-exposure signs/symp</u> | i <u>toms</u> |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : Adverse symptoms may include the following: nausea or vomiting |
| Indication of immediate med | lical attention and special treatment needed, if necessary |
| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : No specific data. |
| Special protective actions for fire-fighters | : No special protection is required. |

SAVE UP TO 25%

Engine and Transmission Flush

| Special | protective |
|---------|-----------------------|
| equipm | ent for fire-fighters |

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

| Personal precautions, protect | ive equipment and emergency procedures |
|--------------------------------|--|
| For non-emergency personnel | : Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for con | ntainment and cleaning up |
| Spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

| Precautions for safe handling | | |
|--|---|---|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Avoid contact with used product. Do not reuse container. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

SAVE UP TO 25%

Section 8. Exposure controls/personal protection

| Control parameters Occupational exposure lim Under conditions which m ACGIH TLV TWA: 5 mg/m ³ United States None known. Canada None. | ay generate mists, the following exposure limits are recommended: |
|--|---|
| Appropriate engineering controls | : Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. |
| Individual protection meas | <u>ures</u> |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | |
| Hand protection | : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |

Section 9. Physical and chemical properties

| Appearance | |
|----------------|----------------|
| Physical state | : Liquid. |
| Color | : Amber. |
| Odor | : Hydrocarbon. |

5/10

Date of issue : 05/15/2015



Engine and Transmission Flush

| Odor threshold | | Not available. |
|--|---|--|
| рН | | Not available. |
| Melting point | - | -57°C (-70.6°F) |
| Boiling point | ÷ | Not available. |
| Flash point | ÷ | Closed cup: 140°C (284°F) [Pensky-Martens.] |
| Evaporation rate | - | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive (flammable) limits | : | Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | 0.88 |
| Solubility | : | Insoluble in water. |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| Viscosity | : | Kinematic: 0.03 cm²/s (3 cSt) (100°C) Kinematic : 0.08 cm²/s (8 cSt) (40°C) |
| Volatility | : | Not available. |
| VOC (w/w): | : | 0 % (w/w) |
| | | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

6/10

SAVE UP TO 25%

Engine and Transmission Flush

Section 11. Toxicological information

| Information on toxicological | effects | |
|---|---|---|
| Acute toxicity | | |
| There is no data available. | | |
| Irritation/Corrosion | | |
| There is no data available. | | |
| Sensitization | | |
| There is no data available. | | |
| Carcinogenicity | | |
| There is no data available. | | |
| Specific target organ toxicit | <u>y (single exposure)</u> | |
| There is no data available. | | |
| Specific target organ toxicit | <u>y (repeated exposure)</u> | |
| There is no data available. | | |
| Aspiration hazard | | |
| Name | | Result |
| Mineral oil | | ASPIRATION HAZARD - Category 1 |
| routes of exposure <u>Potential acute health effects</u> Eye contact Inhalation Skin contact Ingestion <u>Symptoms related to the phy</u> Eye contact Inhalation Skin contact Ingestion | No known significant effects or critical h No known significant effects or critical h No known significant effects or critical h May be fatal if swallowed and enters ai vsical, chemical and toxicological charact No known significant effects or critical h Adverse symptoms may include the foll nausea or vomiting | hazards. hazards. rways. t <mark>eristics</mark> hazards. hazards. hazards. |
| Delayed and immediate effect | ts and also chronic effects from short a | nd long term exposure |
| Short term exposure Potential immediate effects | : No known significant effects or critical h | hazards. |
| Potential delayed effects | : No known significant effects or critical h | hazards. |
| Long term exposure Potential immediate effects | : No known significant effects or critical h | |

Date of issue

: 05/15/2015

SAVE UP TO 25%

| Potential delayed effects | : No known significant effects or critical hazards. |
|-------------------------------|---|
| Potential chronic health effe | <u>ects</u> |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

| Bioaccumulative potential | |
|---|---|
| There is no data available. | |
| <u>Mobility in soil</u> | |
| Soil/water partition coefficient (Koc) | : There is no data available. |
| Other adverse effects | : No known significant effects or critical hazards. |

Section 13. Disposal considerations

```
Disposal methods
```

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

8/10

Section 14. Transport information

| | DOT | TDG | IMDG | ΙΑΤΑ |
|-------------------------------|----------------|----------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - |
| Transport hazard class(es) | - | - | - | - |
| Packing group | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. |
| Additional information | - | - | - | - |

AERG : Not applicable.

FLSH

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Section 15. Regulatory information

| U.S. Federal regulations | 1 | United States inventory (TSCA 8b): Not determined. |
|---|---|--|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : | Not listed |
| Clean Air Act Section 602 Class I Substances | : | Not listed |
| Clean Air Act Section 602 Class II Substances | : | Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : | Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : | Not listed |
| SARA 302/304 | | |

SAVE UP TO 25%

Engine and Transmission Flush

| FLSH | |
|------|--|
|------|--|

| Composition/information on ingredients | | | | |
|--|---|------------------------------------|--|--|
| No products were found. | | | | |
| SARA 304 RQ | : | Not applicable. | | |
| <u>SARA 311/312</u> | | | | |
| Classification | 1 | Not applicable. | | |
| <u>SARA 313</u> | | | | |
| No products were found. | | | | |
| State regulations | | | | |
| Massachusetts | 4 | None of the components are listed. | | |
| New York | 4 | None of the components are listed. | | |
| New Jersey | 4 | None of the components are listed. | | |
| Pennsylvania | 1 | None of the components are listed. | | |
| <u>California Prop. 65</u> | | | | |
| No products were found. | | | | |
| | | | | |
| <u>Canada</u> | | | | |
| <u>Canadian lists</u> | | | | |
| Canadian NPRI | ÷ | None of the components are listed. | | |
| CEPA Toxic substances | 4 | None of the components are listed. | | |
| Canada inventory | 1 | Not determined. | | |

Section 16. Other information

History

| Date of issue mm/dd/yyyy | : 05/15/2015 |
|--------------------------|---------------|
| Date of previous issue | : 06/15/2014 |
| Version | : 6 |
| Prepared by | : AMSOIL INC. |
| | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.